















NOVOL



CATALOGUE

NON-PAINT PRODUCTS





ABOUT US

We are a Polish company with a global reach. Our products enjoy interest in more than 50 countries around the world. For more than 40 years, we have been producing the highest quality technologies for end-to-end refinish

repairs. Our inspiration is the people we work for – spray painters, together with whom we constantly develop our products. All this to provide solutions that facilitate work and increase its efficiency in your paint shop.





OUR PRODUCTS



Our product range includes everything that is essential for car refinish — from epoxy primers to universal and special fillers and putties; from acrylic primers to basecoats, clearcoats, and a full range of complementary non-paint products.

The NOVOL brand complementary products were created for each step of automotive recoating. Tailored to the needs of a modern paint shop, they help optimize recoating processing, making it faster and more comfortable. In this catalogue you will find everything you need for your work to go smoothly and as planned.




















CONTENTS

5



NEW ARRIVALS

7



1. SAFETY

13



2. MASKING

23



3. CLEANING

27



4. SANDING

39



5. PAINTING

49



6. POLISHING

55



7. BODY

61



8. SPRAY BOOTH



NEW ARRIVALS



Novol Mix & Spray disposable paint cup system - page 40

Prepare, mix and spray coat at your convenience.

Spray painting has never been so quick and easy. Enough with dirty work, spilling of coating, cleaning of mixing cups, and wasting materials!



Premium cleaning cloth - page 25

Super-strong and high-performance cleaning cloth made of a special non-woven fabric. Non-linting and highly absorbent.



Control powder - page 31

It reveals all, even the slightest roughness. The product makes it easier and quicker to achieve a smoothly sanded putty and primer surface.



Scuff & Matt paste - page 32

Mats and cleans the substrate before spray coating.



Rubber eraser wheel - page 59

Quickly removes adhesive and tape residues without damaging the car body. Efficient and effective.



PROTECTION



COMFORT

- Tyvek paint overall
- Dust mask FFP2 with valve
- NOVOL work suit
- Hand wash paste & accessories

1. SAFETY





Your safety is most important.

The results of a spray painter's work is very important, but health is critical. Particular attention should be paid to personal protective equipment (PPE) at work. When spraying chemicals, it is essential that respiratory, eye and skin protection products are used. The same applies to the sanding of primers, putties, and fillers, which produces dust that

is harmful to health. In this type of work, you should always protect yourself at least by using a dust mask with the FFP2 protection level. Another very important safety precaution is a suitable full body suit for spray coating and solvent-resistant safety gloves.

Tyvek paint overall



- High level of protection against dirt
- Protects from dust and liquid particles
- Provides a protective barrier in compliance with protective clothing category III
 (type 5 dust-tight & type 6 limited spray-tight)
- Made of durable Tyvek fabric with a weight of 42 g/m² and resistance to tearing.

P/N	Size	P/N	Size
39400	М	39420	XL
39410	L	39430	XXL





Dust mask FFP2 with valve

- Certified FFP2 protection filters out 95% of dust
- Exhaust valve for easier breathing

P/N	Size
39498	One-size

NOVOL work suit



P/N	Size	P/N	Size
39430	М	39432	XL
39431	L	39433	XXL

Hand wash paste

- With an abrasive grit and mild, effective cleaning components
- Removes the toughest dirt, like car paint, grease, cement, and graphite-based oils

P/N	Capacity
39011	500 g
39016	4 kg





Hand wash paste dispenser

- Easy dispensing of the hand wash paste
- Compatible with the Hand wash paste P/N 39016

P/N

39901



Hand wash paste handle

- A convenient cradle for mounting the hand wash paste bottle on a wall or a similar surface
- Compatible with the Hand wash paste P/N 39016

P/N


39931











DURABILITY

CONVENIENCE OF USE

- Masking films
- Masking paperMasking tapes
- Accessories

2. MASKING





Correct MASKING saves time

Who likes masking? Yeah... We feel you. It is a thankless job and its importance becomes evident only when something goes wrong. When choosing masking materials, it makes sense to pay attention to their quality and intended

use. Sometimes it is more cost-efficient to choose materials of a better quality that ensure that we will not coat a surface we do not want to be coated. Don't like unpleasant surprises? Check out our products!

Masking film in roll

- Double-sided: the electrostatic inner face sticks perfectly to the car body, helping to mask the non-processed areas and prevent penetration of overspray between the plastic sheet and the body. The active outer face is marked "PAINT THIS SIDE" for easier laying and catches primer and coating overspray suspended in the air
- Enables easy and quick masking of the vehicle by one worker to save time and costs
- Helps to reduce the amount of airborne overspray particles the film reduces the risk of inclusions and reworking at later steps of refinish repair
- The paint particles stick to the film surface without chipping or peeling





Masking film in roll

- Compatible with the NOVOL masking paper and film dispenser P/N 39955
- Resists high temperatures up to 120°C

P/N	Size
90368	4 x 150 m



Plus protective film

- A protective film with increased thickness and mechanical strength
- Available two sizes for a better fit to the area of the surface to be protected
- Protects surfaces from stains of coating, dust, particulates, and moisture
- Universal use, including industrial, construction and DIY applications

P/N	Size	P/N	Size
91314	4 x 5 m	39388	4 x 7 m



Standard protective film

- Helps with protecting surfaces from stains of coating, dust, particulates, and moisture
- Universal use, including industrial, construction and DIY applications

P/N	Size
39397	4 x 5 m

Film line-up

Product type	Film thick- ness	Vehicle size	Strength	Elasticity	Coating absorption	Electrostatic properties	Breathability
Standard protective film 4 x 5 m P/N 39199	5 μm		****	****	X	X	X
Plus protective film 4 x 5 m P/N 91314	6 μm		****	****	X	X	X
Plus protective film 4 x 7 m P/N 39388	6 μm		****	****	X	X	X
Masking film 4 x 150 m P/N 90368	9,5 μm		****	****	V	V	X

Masking paper

Did you know that by using organic materials you are protecting the environment? Products like masking paper are made from recyclable materials.

NOVOL masking paper is not only environmentally friendly, it is also perfect for masking vehicles. Each masking paper is double-sided where the outer side is resistant to paint penetration. The NOVOL masking paper does not lint, which helps to minimise inclusions on the coated surface. Compatible with the NOVOL masking paper and film dispenser, P/N 39954 and 39955. You will find several types and width options in our range. Choose the masking paper that best meets your needs.



Masking paper, 50 g/m² weight

- Tested and proven in the toughest conditions
- Extra thick and durable
- Increased resistance to tearing and penetration by primers and coatings

P/N	Size
90671	90 cm x 20 m







Masking paper, 45 g/m² weight

- Available in several widths, depending on your needs
- Durable and does not soak through

P/N	Size	P/N	Size
39310	30 cm x 280 m	39312	90 cm x 280 m
39311	60 cm x 280 m	39313	120 cm x 280 m



Masking paper, 40 g/m² weight

- Versatile and budget-friendly
- Available in several widths, depending on your need

P/N	Size	P/N	Size
39300	30 cm x 280 m	39302	90 cm x 280 m
39301	60 cm x 280 m	39303	120 cm x 280 m

Masking paper line-up

Weight	50 g/m²	45 g/m²	40 g/m ²
Available sizes	90 cm x 20 m	30 cm x 280 m 60 cm x 280 m 90 cm x 280 m 120 cm x 280 m	30 cm x 280 m 60 cm x 280 m 90 cm x 280 m 120 cm x 280 m
Water absorption Cobb60 [g/m²]	max. 30	max. 30	max. 30
Tearing strength [mN] (MD = along the fibres; CD = across the fibres)	MD 400 CD 500	MD 320 CD 410	MD 285 CD 360
Tensile strength [kN/m] (MD = along the fibres; CD = across the fibres)	MD 5,70 CD 2,25	MD 4,85 CD 1,99	MD 4,32 CD 1,76

NON-PAINT PRODUCTS

Masking tapes

NOVOL masking tapes are resistant to high temperatures and do not leave adhesive on the car body. You can find the masking tapes for the toughest challenge in our product range .

Aqua UV masking tape

A special-purpose tape, boasting a very high resistance to water and UV light

- Suitable for use with water-based products, resistant to moisture and water (also during wet sanding)
- Extremely resistant to UV radiation. It does not leave adhesive residues even if exposed to sunlight for several days. Perfect for working with UV-cured products
- Very strong, with excellent adhesion to various substrates (car body, plastic, rubber parts, and glass), including rough-textured ones





Aqua UV masking tape

- Engineered for the most demanding processing conditions
- Resistant to prolonged exposure to high temperatures up to 30 minutes at 110°C

P/N	Size	P/N	Size
91238	25 mm x 50 m	91240	50 mm x 50 m
91239	38 mm x 50 m		



PREMIUM 110°C masking tape

A special-purpose tape which is extremely strong and develops a high adhesion strength.

- Excellent adhesion to various substrates (car body, plastic, rubber parts, and glass), including rough-textured ones
- Engineered for the most demanding processing conditions
- Resistant to prolonged exposure to high temperatures up to 30 minutes at 110°C
- Works best with solvent-based products





PREMIUM 110°C masking tape

- Resistant to paint penetration
- Leaves no adhesive residues

P/N	Size	P/N	Size	P/N	Size
91234	19 mm x 50 m	91416	30 mm x 50 m	91237	50 mm x 50 m
91235	25 mm x 50 m	91236	38 mm x 50 m		





STANDARD 80°C masking tape

- Good adhesion to car body, glass and rubber parts
- Resists exposure to high temperatures up to 60 minutes at 80°C
- Leaves no adhesive residues
- Resistant to paint penetration
- For water- and solvent-based coating products

P/N	Size	P/N	Size
39215	19 mm x 50 m	39218	38 mm x 50 m
39216	25 mm x 50 m	39219	50 mm x 50 m
39217	30 mm x 50 m		

Masking tape line-up

Product type	Available width options	Temperature resistance	Water resistance	UV resistance	Adhesion strength
STANDARD 80°C masking tape	19; 25; 30; 38; 48 mm	V	V	X	VV
PREMIUM 110°C masking tape	19; 25; 30; 38; 48 mm	VV	VV	V	VVV
AQUA UV masking tape	25; 38; 50 mm	VV	VVV	VVV	VVV



Foam masking tape

- For masking the gaps around the doors, hood and trunk panels.
- Eliminates the sharp edge of the new coating with the special shape which ensures a smooth transition of the applied coats around the recess edges and body stampings.
- Effectively prevents penetration of overspray into the vehicle
- Easy masking of mouldings and rounded edges thanks to high flexibility
- Leaves no adhesive residues
- Convenient and user-friendly packaging: the tape dispenser

P/N	Size	P/N	Size
39273	13 mm x 20 m	91056	13 mm x 50 m





Lifting tape

- For masking of rubber weatherstripping and gaskets for doors, glass, and lights. Helps in coating the surfaces under the rubber while also masking it, without any need for removal of the gaskets .
- The tape comprises two strips of peel sheet, 9 mm and 11 mm wide for lifting and keeping the weatherstripping/gasket edge away from the substrate, and a soft backing for applying the tape to the surface to be coated
- Convenient and easy masking of rounded surfaces by splitting the tape into shorter lengths (along the perforation every 42 mm)
- Leaves no adhesive residues

P/N	Size
91191	(9 + 11 mm) 50 mm x 10 m



Fine line tape

- For precise masking and colour separation on coated parts
- Helps with defining sharp contours of applied coats
- Very high adhesion without any risk of peeling off during processing
- Very elastic and follows curved and oval surfaces very well, without creasing along the edges
- Resists high temperatures up to 150°C
- Leaves no adhesive residues

P/N	Size	P/N	Size
90693	3 mm x 33 m	90695	9 mm x 33 m
90694	6 mm x 33 m	90676	12 mm x 33 m



Accessories



Masking paper and film dispenser

- Makes car body masking faster and easier
- Ergonomic and robust
- Compatible with NOVOL masking paper and masking film
- Available in two versions:
 - 2P (2-level) for a masking paper roll up to 90 cm wide and two more paper rolls 60 cm and 30 cm wide
 - 3P (3-level) for a masking film or masking paper roll up to 120 cm wide, plus two more levels for narrower masking paper rolls
- Complete with a masking tape dispenser for automatic feeding to the unwound masking paper

P/N	Dispenser	P/N	Dispenser
39954	2P	39955	3P



Cutter for masking film

- Safe for the user with the special guard to prevent injury
- The special design prevents accidental scratching of the car body
- Very sharp for effective cutting of masking materials. The design makes it easy to cut out complex shapes
- Easy to store, difficult to lose features a magnet for safe attachment to the car body or steel workshop furniture



91015



EFFECTIVENESS





EFFICIENCY

- Pressure sprayers and accessories
- Cleaning clothes

3. CLEANING





The seemingly simple task of cleaning the surface to be coated is one of the most important steps in refinishing. A properly degreased substrate ensures good adhesion of the individual coating layers. It also makes sense to mind the consumables used for cleaning the substrate. A cleaning material of poor quality may cause problems with downstream steps of the refinishing process. NOVOL cleaning material of poor quality may cause problems with

aning clothes do not lint, cause scratches, or leave streaks. Here you can find smart accessories, like the pressure sprayer for uniform and efficient dispensing of removers to the substrate. The reference colour caps are a smart way to help with identification of the contents. Try out our solutions and make your work easier.

Pressure sprayer and accessories

Pressure sprayer

- Facilitates quick and uniform application of removers
- Helps conserve considerable volumes of removers unlike cloths or wipes
- All pressure sprayer parts are resistant to spray coating solvents





Pressure sprayer

- The available kit of spare gaskets extends the product life
- 900 ml capacity

P/N

39966




Coding caps for pressure sprayer

- No more mistaken container contents
- 5 colours of the caps for easy identification of the contents
- Simple click to latch installation
- Help in keeping the shop in order and prevent errors in using process fluids

P/N

91135



Gaskets for pressure sprayer

- \bullet An environmentally friendly solution to extend the life of the pressure sprayer
- Simple and quick replacement of the gaskets

P/N

91134

Premium cleaning clothes

Try the professional NOVOL Premium cleaning clothes and feel the difference.

These special cellulose-polyester non-woven clothes were developed specifically for easier refinish process. The clothes are great in collecting dust and particulates, leaving no fibres or cloth dust. These consumables are resistant to solvents, do not tear and do not lint. With their increased absorbency and strength, the Premium cleaning clothes are several times more efficient than traditional paper cleaning clothes. Designed for cleaning and degreasing. For conventional and water-based products, as well as for cleaning surfaces of oil.



Premium cleaning clothes

- Very efficient and effective
- High absorption of various liquids
- Do not tear, fray or leave fibres and lint
- Do not scratch the surface and leave no streaks
- Perfect for wiping down surfaces clean at any stage of work

P/N	Roll	P/N	Вох
91410	385 wipes, 39x30 cm ea., 150 m	91409	100 wipes, 39x30 cm ea.

Three-ply paper cleaning cloth, white

- All-purpose three-ply cellulose cleaning cloth in a rolle
- Versatile use
- High mechanical strength. Thanks to its special texture (the dimpled surface), the wipes are highly absorbed for great performance





Three-ply paper cleaning cloth, white

- Do not scratch the surface and leave no streaks
- Weight: 65 g/m2
- Roll length: 220 m

P/N

39511




Two-ply cleaning towel

- Universal two-ply cleaning towel in a roll
- Versatile use
- Weight: 40 g/m²

P/N

39510



PRECISION

ECONOMY



- Sanding
- Matting of surfaces
- Cleaning of corrosion spots
- Filling

4. SANDING





Precision and economy.

As any spray painter knows, it takes a lot of work to make sure you can't... see it was refinished at all. Filling is the refinishing step that requires the greatest precision. Fortunately, we have materials to make your job easier and avoid reworking it later. In addition to sanding papers, scuff pads and clean & strip discs, or application and mixing tools, NOVOL also offers a control powder, thanks to which the sanded surface will be perfectly prepared for painting. Check out also what our clever Scuff & Matt paste can do.

Sanding





Velcro sanding pad, Ø150 mm (15 openings)

- The Ø150 mm sanding pad with a durable and strong hook-and-loop fastener for fitting sandpaper discs
- Compatible with M14 thread drive sanders
- The design of the dust extraction holes helps with perfect removal of sanding dust while promoting optimum air flow to keep the pad cooled
- The 15-opening vent pattern is compatible with most sandpaper discs



63301



Soft interface pad, Ø150 mm (15 openings)

- Ø150 mm flexible soft interface pads with hook-and-loop fastener
- The 15-opening vent pattern is compatible with most sandpaper discs
- For precise and safe finish sanding, especially along curves and edges using the sanding pad (P/N 63301) on an orbital sander.
- 2 thickness options available: 5 mm & 10 mm

P/N	Thickness	P/N	Thickness
63101	5 mm	63001	10 mm





Sanding disc, green, Ø150 mm (15 openings)

- For dry and wet machine sanding in all stages of refinishing
- Very strong and durable PET film backing
- Effective and efficient abrasive grid: aluminium oxide (Al2O3) for a long service life
- Open grit layer with a non-fill coating to prevent clogging with dust

P/N	Grit #	P/N	Grit#	P/N	Grit #
60302	P60	60309	P240	60316	P800
60303	P80	60310	P280	60317	P1000
60304	P100	60311	P320	60318	P1200
60305	P120	60312	P360	60319	P1500
60306	P150	60313	P400		
60307	P180	60314	P500		
60308	P220	60315	P600		





Sanding disc, white, Ø150 mm (15 openings)

- For dry machine sanding in all stages of refinishing
- Strong and durable paper backing
- Effective and efficient abrasive grid: aluminium oxide (Al2O3) for a long service life
- Open grit layer with a non-fill coating to prevent clogging with dust

P/N	Grit#	P/N	Grit #	P/N	Grit #
60821	P80	60825	P220	60829	P500
60822	P120	60826	P240	60830	P600
60823	P150	60827	P320	60831	P800
60824	P180	60828	P400		

Sanding disc line-up

Product type	Grit #	Dry sanding	Wet sanding	Non-fill layer	Applicable work	Notes
Sanding disc White	P80, P120, P150, P180, P220, P240, P320, P400, P500, P600, P800	V	x	V	Sanding of putties/ fillers; Sanding of pri- mers; Coating texture finish cutting; Matting for clearcoat applica- tion;	Paper backing – for dry sanding only;
Sanding disc Green	P60, P80, P100, P120, P150, P180, P220, P240, P280, P320, P360, P400, P500, P600, P800, P1000, P1200, P1500	V	V	V	Sanding of putties/ fillers; Sanding of pri- mers; Coating texture finish cutting; Matting for clearcoat application; Removal of inclusions; Preparation for poli- shing;	PET film backing – for dry or wet sanding Improved backing paper layer strength;



Softback sanding roll

- Sandpaper sheet on a sponge backing that is perfect for sanding hard-to-reach areas, curves, and edges
- Minimises the risk of over-sanding
- Non-fill layer to prevent clogging
- For dry and wet processing
- 115 mm x 25 m roll with convenient tear-off perforation every 125 mm

P/N	Grat #	P/N	Grit #	
91172	P240	91175	P600	
91173	P320	91176	P800	
91174	P400			



Control Powder, 150 g

Improve your sanding process! No more unpleasant surprises: now even the smallest imperfections on a putty, filler or primer can be seen and removed immediately. The NOVOL Control Powder produces a perfect contrast of the texture to see the slightest surface defects. The product helps to achieve a perfectly smooth sanded surface, and to sculpt the body part into a shape close to the original geometry.

NEW



Control powder, 150 g

- Used during sanding of putties/fillers and primers
- Helps reduce the processing time, effort, and costs of rework during the downstream coating stages
- The large 150 g economy pack lasts for a very long time
- Convenient, ergonomic applicator: helps with spare and even spreading of the Control Powder on the substrate

P/N

91324





Efficient and ergonomic applicator



The exceptionally defined contrast exposes every imperfection of the work surface

Sanding blocks

- For manual processing of polyester putties/fillers and acrylic primers with sanding paper
- Double-sided, each side has a different hardness
- For dry and wet processing



Type A sanding block

• The sandwich structure provides high stiffness with a low weight

P/N	Type A block
62802	210 x 75 mm



Type E sanding block

• The performance of the sanding block is improved by rounding one of the edges to facilitate processing inward curves.

P/N	Type E block
62902	135 x 75 mm

Matting of surfaces

NOVOL Scuff & Matt paste

Do you need to preprocess a fade-out area effectively? Discover our new NOVOL Scuff & Matt paste and reduce the time of surface preprocessing for the coating application. This product mats, cleans and degreases the substrate, improving its adhesion. It perfectly prepares the surface for the application of decorative coating layers.



- Facilitates preprocessing of substrates for spray coating, especially in fade-out areas of basecoats, clearcoats, and topcoats
- Improves the finish and favours a uniform appearance of the coated surface
- The right consistency makes the product easy to spread and mat the substrate uniformly
- To be applied with the NOVOL scuff pads, e.g. grey Ultra Fine (P/N 39526)

P/N	Weight	P/N	Weight
91380	500 g	91379	1 kg

Scuff pads

- Indispensable in surface preprocessing (for manual rust removal, degreasing and matting of profiled surfaces and edges)
- The three-dimensional texture of the cloth ensures a uniform result and a perfect substrate finish even in places that are difficult to access, without altering the workpiece geometry
- Helps with much faster preprocessing (by easier and quicker matting)
- Available in packs of 10 pcs.

Available in three grit numbers as required by the process:





General Purpose (green), 320 grit

- Rough preprocessing
- Rust removal
- Quick and aggressive surface matting (e.g. for application of polyester putties)

P/N

39528





Very Fine (red), 360 grit

- Matting for priming
- Matting of new parts (with cataphoretic coatings)
- Preprocessing of large areas for priming (engine bonnets and boot lids)
- Preprocessing of plastic parts (bumpers and spoilers)
- Removal of grease, oil, and rust from engine parts and other mechanical components
- Cleaning of wheel rims

P/N

39529





Ultra Fine (grey), 800 grit

- Can be used with the NOVOL Scuff & Matt paste (P/N 91379 and 91380) or a degreaser
- Matting of primers
- Preprocessing of plastic parts (bumpers and spoilers)
- Coating matting
- Surface preprocessing for 1 or 2-layer coatings or fading out

P/N

39526

Scuff pads line-up

Product type	Rough preprocessing, rust removal, and quick and aggressive surface matting	Matting of new parts (e.g. damaged cataphoretic coatings) and large surfaces before priming	Prepro- cessing of plastic parts (bum- pers and spoilers)	Surface preproces- sing for 1 or 2-layer coatings	Matting of primers and coats	Preprocessing for fading out
Fine (green)	V	x	X	X	X	x
Very Fine (red)	x	V	V	X	X	x
Ultra Fine (grey)	x	X	V	V	V	V

Cleaning of corrosion spots



Clean and strip disc

- An abrasive grit-coated non-woven disc for power cleaning of welds, removal of corroded layers, and stripping of coatings, primers, sealants, and more.
- For attachment to a power drill via a dedicated Ø6 mm adapter shank (P/N 63012)
- Effectively strips corrosion without damaging the metal structure
- The open structure prevents clogging and excessive surface heating of the wheel
- Stiff and dense nylon fibre weave for high product durability
- Available in blue with extra impregnation for improved durability

P/N	Туре	P/N	Туре
62001	Black wheel	62101	Blue wheel





Mounting pin for clean and strip disc

- For mounting clean and strip discs (P/N 62001 and 62101) on a power drill
- ø 6 mm
- Durable and strong



63012

Filling



Plastic spreader

- A flexible tool to facilitate processing of car body workpieces with variations of shape
- Helps with thorough mixing of putties with hardeners and easy application on the repaired workpiece
- made of plastic which reduces the risk of scratching the workpiece

P/N	Kit
39715	10 pcs







Mixing board


- A set of 50 smooth sheets for mixing putties with hardeners
- Convenient and handy
- Helps keep the workshop clean
- Made of strong, non-absorbent and non-soaking paper

P/N

39760



Japanese metal spreader and sanding block





Japanese metal spreaders

- A set of four metal putty knives in different sizes
- Comfortable handle
- The flexible metal blade facilitates processing of body workpieces with variations of shape

P/N	Kit
39734	4 pcs



Spreader cleaning device

Pour in the thinner, put in the spreader and leave it to do the work!

- Easy and quick cleaning of metal putty spreaders
- The scraper plate blades are formed into a shape which maximises the removal of all dirt
- The handy drip tray makes the clean tools ready for use at any time
- Helps keep the workshop clean

P/N





QUICK AND CONVENIENT WORK





COSTS OPTIMIZATION

- Mix and spray with NOVOL Mix & Spray
- Mixing cups and paint strainers
- Measuring sticks
- Tack rags
- Colour matching

5. PAINTING





Which stage of refinishing is the crowning of a spray painter's work? This one! If all previous work steps have been done properly, the spray coating results will certainly please the eye of the professional. Find out how much more convenient it is to get the right colour with our lamps and samples for test spraying. You can remove all tack, dust and lint with the NOVOL tack rags before spray coating. See how easy and convenient it is to prepare the materials and coat with the NOVOL Mix & Spray disposable paint cup system.

NOVOL Mix & Spray

Coat fast and easy!

With NOVOL Mix & Spray, your work picks up the pace. Enough with dirty work, spilling of coating, cleaning of mixing cups, and wasting materials!

NEW



NOVOL Mix & Spray disposable paint cup system

- Faster work
- Lower consumption of materials
- A container box convertible into an organiser
- Convenient no more cleaning of mixing cups!
- Spray gun adapter (sold separately)





 You save one mixing cup every time you mix – just mix in and spray from the same cup!



• Spray coat from any orientation – the mixing cup shrinks to prevent building of vacuum and ensure a steady flow of the material



• Haven't used everything up? Save it for later with the sealing plugs (usable with one-component coating products only)



• Keep your workshop tidy! The Mix & Spray box is an organiser which makes storage easier and prevents dust and dirt from getting into the mixing cups and their lids



NEW



The NOVOL Mix & Spray kit contains:

- Functional dispenser container 1 pcs.
- Disposable plug 20 pcs.
- Reusable clamping ring 1 pcs.
- Disposable lid with integrated strainers 50 pcs.
- Disposable soft inner cup 50 pcs.
- Reusable hard outer cup 1 pcs.



Perfectly tailored:

- \bullet For all types of coats and primers available filter mesh sizes 125 μ and 190 μ
- For different repair sizes available in 400, 600 and 800 ml capacity
- For your spray gun different types of adapters available
- For your workshop the smart organiser box helps you keep things neat and tidy

Filter type [μ]	Material type	Cup capacity 400 ml	Cup capacity 600 ml	Cup capacity 800 ml
125 μ	Clearcoats, water-based/solvent basecoats, wet-on-wet primers, regular primers, high-build primers	P/N 91255	P/N 91256	P/N 91257
190 μ	Wet-on-wet primers, regular primers, high-build primers		P/N 91259	

NOVOL Mix & Spray CHOOSE THE ADAPTER FOR YOUR SPRAY GUN

Gun brand/type	Steel adapter	Steel adapter	Composite adapter	Composite adapter
IWATA WS400, LS400	P/N 91371		P/N 91372	4
IWATA W400	P/N 91261	1	P/N 91262	4
SATA (Quick Lock)	P/N 91263		P/N 91264	1
Devilbiss	P/N 91264		P/N 91266	A



Mixing cups

- Made of polypropylene (PP), robust, durable and flexible, will not crack
- Clear graduations on the inside make accurate dosing of materials, hardeners and thinners easy
- volume scale in increments of 50, 100 or 200 ml; mixing ratios of 2:1, 3:1, 4:1, 5:1; thinner ratios of 10% or 20%
- Suitable for refinishing of different sizes 4 different capacities available





Mixing cups

- The lids seal the mixing cups well which is indispensable for handling, storage and protection of coating materials against dust and contamination
- Antistatic and resistant to solvents used in refinish

P/N	Cup capacity	P/N	Capacity-specific cup lid
39102	0,385 I	39112	0,385 I
39100	0,75	39110	0,75
39101	1,4	39111	1,4
39103	2,3	39113	2,3





Nylon paint strainers

- For water-based and solvent coating products
- Two mesh sizes available: 125 μ or 190 μ , suitable for filtering primers, and water-based and solvent basecoats and clearcoats
- The robust nylon strainers ensure accurate and fast filtration of coating materials
- Available in packs of 250 pcs.

P/N	Size	P/N	Size
39134	125 μ	39135	190 μ





Measuring sticks

- The aluminium measuring stick helps in achieving the required ratio of hardeners and thinners when pre-mixing coating materials
- Available in two different lengths, with a precision scale for dispensing materials in different mixing ratios 2:1/3:1 and 4:1/5:1 and a centimetre graduation
- A sustainable product made of a recyclable material
- Available in packs of 250 pcs.

P/N	Stick	P/N	Stick
39688	small 2:1, 3:1	39698	big 2:1, 3:1
39689	small 4:1, 5:1	39699	big 4:1, 5:1

PREVENT INCLUSIONS! - TRY OUT OUR TACK RAGS





Waffled tack rag

- Specifically designed for removal of loose dust, debris, hair, and particulates from substrates to be coated
- A special, non-drying impregnate formula the product is soaked with helps to absorb and hold dust and particulates between the rag fibres
- Highly efficient with a unique waffled texture which increases dust-absorbing properties
- Contains no wax or silicone, leaves no residues or streaks on the car body
- Reusable
- Does not lint
- Biodegradable and environmentally friendly

P/N

39550



Tack rag

- The sticky surface allows dust particles to be effectively removed before coating
- A special impregnate formula the product is soaked with helps to absorb and hold dust and particulates between the rag fibres
- Contains no wax or silicone, leaves no residues or streaks on the car body
- Reusable

P/N

CHOOSE THE RIGHT COLOUR

Metal spray samples

Create your own colour box

- These are spray test panels to help match the colour to the coated workpiece
- Available in a spectral grey system, providing optimum substrates for basecoats.

Each panel features a black strip to test the hiding power





Metal spray samples

- Durable and suitable for long-term storage
- Test panels available in two sizes
- The hole in each panel helps with easy work and storage management

P/N	Large 150 x 105 mm spray samples:	P/N	Small 105 x 70 mm spray samples:
39796	P1 white	91328	P1 white
39797	P2 light grey	91330	P3 grey
39798	P3 grey	91331	P4 dark grey
39799	P4 dark grey		



Metal spray samples





Paper spray sample

- Helps with correct basecoat colour matching
- One side of the product has a black and white chequered pattern to evaluate the hiding power. The reverse features bands in shades of grey (white, light grey, medium grey, dark grey, and black) to assess the impact of the substrate colour on the colour finish
- A set of 50 paper spray sample sheets

P/N

39158




Scangrip lamps

- The lamps generate a light spectrum close to the daylight to facilitate matching of colours to the workpieces
- Ergonomic, robust and resistant to damage
- Available in different sizes and power outputs as required
- Long operation per single battery charge

P/N	Lamp	P/N	Lamp
03.5650	Scangrip Minimatch	03.5652	Scangrip Multimatch R
03.5651	Scangrip Sunmatch Colour Match 3		





SURFACE SMOOTHNESS

FLAWLESS GLOSS



- NOVOL polishing system
- Microfibre cloths

6. POLISHING





Is the paint smooth as a mirror? Not yet? Then we are left with the final touch to make the end result stunningly perfect. Or has the car already seen its prime? Restore its former shine with the modern polishing products from NOVOL! If polishing is necessary, let's make sure it goes

quickly and smoothly. The NOVOL Polishing Compound, Finishing Glaze, and foam pads help produce the perfect coating finish with just a little effort. Check it out and see for yourself.

NOVOL TWO-STEP POLISHING SYSTEM

Fast Cut Polishing Compound

- high-quality, fine-grained polishing paste for both cured coatings and fresh acrylic and polyurethane coats, including those with increased scratch resistance (SR)
- Carefully selected compound components in combination with the high-quality Novol HARD or MEDIUM polishing foam pads allow easy and effective removal of scratches from the surface sanded with P1500-P2000 papers
- Removes coating damage, scratches and tarnish





Fast Cut Polishing Compound

- Do not waste time masking the compound does not react with clearcoats or plastic and rubber parts
- Free from wax and silicone
- 500 g container

P/N

64212

Finishing Glaze

- Produce the perfect gloss with the Finishing Glaze that features components of superior quality
- With the MEDIUM or SOFT foam pads, the product provides a high level of gloss and a lasting finish (especially on dark colours)
- The mildly abrasive properties of the Glaze applied with the MEDIUM or SOFT foam pad, allow to refresh the coating and remove its scratches





Finishing Glaze

- Polish as you like: suitable for hand and power polishing
- Free from wax and silicone
- 500 g container

P/N

Plus foam pads

See how the unique shape of the Plus foam pads helps to distribute the polishing compound evenly, also in hard-to-reach areas. Get a beautiful effect on both cured and fresh coatings (especially the SR rated ones).





HARD foam pad (white)

- In combination with the Fast Cut Polishing Compound, this product removes scratches quickly, leaving the coating glossy
- The open pores of the foam pad absorb and release the compound gradually for an easier, desired finish

P/N

83906





MEDIUM foam pad (orange)

- A universal foam pad recommended for use with the Fast Cut Polishing Compound or the Finishing Glaze
- For removal of fine scratches from old and new coatings

P/N

63905





SOFT foam pad (black)

- The specially profiled surface of the foam pad prevents overheating during polishing and ensures uniform distribution of the glaze
- Recommended for finish polishing with the Finishing Glaze
- Minimises the risk of hologram defects
- Recommended especially for dark coatings
- Prevents polishing marks

P/N





Ø80 polishing ball pad

- The spherical shape makes it easier to polish hard-to-reach surfaces, such as recesses and cavities
- Perfect for polishing wheel rims
- No special tools required fits any power drill
- 80 mm diameter polishing ball pad made of polyurethane foam

P/N

63703



Foam pads

- The HARD and MEDIUM foam pads used with the Fast Cut Polishing Compound remove scratches and produce a glossy body coating in little time
- The MEDIUM and SOFT foam pads used with the Finishing Glaze are recommended for finishing operations
- Recommended for both old, cured coatings and fresh coatings (especially the SR rated ones)
- For removal of fine scratches from old and new coatings
- Minimise the risk of surface overheating and hologram defects



Velcro fastener

 The hook-and-loop fastener ensures easy attachment and replacement of polishing foam pads

P/N	Туре	P/N	Туре
90614	HARD (white)	90617	SOFT (black)
90615	MEDIUM (orange)		



M14 thread drive

P/N	Туре	P/N	Туре
39800	HARD (white)	39820	SOFT (black)
39810	MEDIUM (orange)		

NON-PAINT PRODUCTS



Backing pad for polishing

- A backing pad for polishing with a Velcro fastener for polishing foam pads
- Facilitates quick replacement of the foam pads in the process
- Fitted with a standard M14 thread
- Application: all NOVOL and NOVOL Plus polishing foam pads
- Designed for attachment of Velcro-mounted smooth and profiled foam pads



62401



Microfibre cloths

- Perfect polishing and removal of stains, polishing compounds and glazes from the substrate
- The micro-active fibres deeply entrain small and large dirt particles to prevent surface scratching
- Perfect for the application and polishing of all types of polishes, waxes and quick detailing products
- For dry and wet processing
- Durable with a long service life
- Reusable after washing in up to 60°C

P/N	Colour	P/N	Colour
61012	blue	90440	green



Polishing Kit

The kit includes:

- Fast Cut Polishing Compound
- Finishing Glaze
- 3x Plus foam pads of different hardness (HARD, MEDIUM, SOFT) with Velcro fasteners
- Two microfibre cloths
- Backing pad for polishing as the foam pad carrier

P/N

RELIABILITY





THE POWER OF SIMPLE SOLUTIONS

- Application of undercoating
- Installation of parts
- Miscellaneous

7. BODY





The NOVOL products for repairing and preservation of car body and plastic parts are easy to apply, strong and durable. Our double-sided tapes successfully replace traditional bonding products, like adhesives. They facilitate easy and quick installation of side mouldings, emblems, spoilers, and more. Any adhesive residue left on the car body can be quickly done away with the rubber eraser wheel, while the UBS undercoating spray guns make short work of applying undercoating and preservation products.

Application of undercoating





Undercoating spray gun

- A spray gun for application of undercoating compounds and chassis anti-rust products
- Features a self-centring nozzle for spray jet width and product flow rate adjustment
- Light and robust body of pressure die-cast aluminium
- Plastic hose for easier application in cavities

P/N

39999





Nylon brush

- Helps produce an original undercoating texture
- Resistant to solvents used in refinish
- 30 mm wide

P/N

INSTALLATION OF PARTS

Premium double-sided tape

Test the extreme strength of the Premium double-sided tape and feel the difference. This product successfully replaces other traditional bonding methods such as gluing. If you need to fasten side mouldings, body profile parts, emblems, lettering, rear-view mirrors and other parts with lasting and strong joints, we have a powerful solution.

- High resistance to UV radiation, salt, water and other atmospheric elements
- For vehicle interiors and exteriors
- High mechanical strength
- Vibration damping effect
- Extremely reliable and strong joining of dissimilar materials (including metal, glass, wood, and plastic)






Premium double-sided tape

- Easy to apply and elastic, available in 6 to 19 mm widths
- Resists temperatures from -40°C to +150°C
- Highly resistant to organic solvents

P/N	Width	P/N	Width
90689	6 mm/5 m	90691	12 mm/5 m
90690	9 mm/5 m	90692	19 mm/5 m





Double-sided tape

- For fixing side mouldings, body profiles, emblems, lettering, rear-view mirrors, and more
- Resistant to weather and salt
- Vibration damping effect
- Suitable for joining dissimilar materials (metal, wood, glass, and plastic)
- Easy to apply and flexible
- \bullet Resists temperatures from -40°C to +90°C
- Resists organic solvents

P/N	Width	P/N	Width
39241	6 mm/5 m	39246	19 mm/5 m
39243	9 mm/5 m	39247	25 mm/5 m
39244	12 mm/5 m		





Rubber eraser wheel

- Made of hard rubber with a smooth edge for removing double-sided tape, adhesive residues and stickers from car body parts
- Includes a mounting adapter for drill chucks
- Effective stripping action without damage to the coating layers
- No special tools required
- Efficient and reusable

P/N

90696







Sound deadening panel

- The self-adhesive bitumen mat is intended as a sound deadening liner for trunks, doors, and floor pans in motor vehicles
- Improves the sound comfort in the cabin, reduces vibration, braces the stiffness of large metal panels, and reduces overall noise levels
- Flexible, easily conforms to the substrate, and can be cut to any shape
- Available in two sizes and with a smooth or textured finish

25x50 cm


Textured finish

39189

P/N	Width	P/N	Width
39199	25x50 cm	39197	50x50 cm
Smooth finish			
P/N	Width	P/N	Width

39187

50x50 cm



CLEANLINESS

EASY APPLICATION



- Keep your spray booth in good shape
- Spray Booth Protect

8. SPRAY BOOTH





Your spray booth is your castle. It is nice to spray coat inside of snow-white walls without anything to disturb your perception of colour. Your business depends heavily on your spray cabin running smoothly and always being kept clean. NOVOL offers a simple and reliable way to protect the spray booth for a long time. It has proved itself to hundreds of spray painters in Poland and Europe. We also recommend it to you.

KEEP YOUR SPRAY BOOTH IN GOOD SHAPE

- Discover NOVOL's way step by step

1. Apply the Spray Booth Protect liquid formula to the clean walls inside the booth. You can do it as you like: with a spray gun, undercoating spray gun, roller or brush



2. Apply the NOVOL masking film in a roll (P/N 90368) to the walls while they are still sticky



3. Apply the Spray Booth Protect to the masking film



4. DONE! You can spray now. After 2-3 months, replace the whole protection inside the spray booth (the time to replacement varies with the spray booth duty)





Spray Booth Protect

- A transparent, viscous fluid for protection of spray booth walls against spray coats
- Once applied, the fluid remains sticky for a long time to tack spray dust, particulates, and grains of dirt
- Helps keep the spray booth walls clean
- Significantly reduces the risk of inclusions on the spray coated surfaces
- Its protection can be improved with the masking film in roll (P/N 90368)
- The fluid can be easily washed off with warm water
- Environmentally friendly and biodegradable

P/N	Capacity
90541	51

EN

