

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878
Issue date: 9/22/2017 Revision date: 9/1/2022 Supersedes version of: 6/22/2022 Version: 3.00

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Name : HARDENER FOR POLYURETHANE PRODUCTS

Trade name : AQUAHARD PU 10-01

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : The product is intended for professional use

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

NOVOL Sp. z o.o. Żabikowska 7/9 62-052 KOMORNIKI

Poland

T 0048618109800 - F 0048618109809

www.novol.com

E-mail address of competent person responsible for the SDS: dokumentacja@novol.com

#### 1.4. Emergency telephone number

Emergency number : 112

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhal.), Category 4 H332
Skin sensitisation, Category 1 H317
Specific target organ toxicity – Single exposure, Category 3, Respiratory H335

tract irritation

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

Precautionary statements (CLP)

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H332 - Harmful if inhaled.

H335 - May cause respiratory irritation.P261 - Avoid breathing vapours, spray.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

EUH-statements : EUH204 - Contains isocyanates. May produce an allergic reaction.

9/1/2022 (Revision date) GB - en 1/13

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

#### 2.3. Other hazards

Other hazards which do not result in classification

: Can react violently with alkalis, as well as a lot of organic products such as alcohols and amines. Reacts with water, generates gases or heat and overpressure: rupture containers. Polymerizes on exposure to temperature rise: pressure build-up may cause closed container to burst.

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexamethylen-1,6-Diisocyanat Homopolimer	CAS-No.: 28182-81-2 EC-No.: 500-060-2 REACH-no: 01-2119485796- 17	≈ 80	Acute Tox. 4 (Inhalation), H332 Skin Sens. 1, H317 STOT SE 3, H335
2-butoxyethyl acetate; butylglycol acetate	CAS-No.: 112-07-2 EC-No.: 203-933-3 EC Index-No.: 607-038-00-2 REACH-no: 01-2119475112- 47	10 – 20	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312
hexamethylene-di-isocyanate (Note 2)	CAS-No.: 822-06-0 EC-No.: 212-485-8 EC Index-No.: 615-011-00-1 REACH-no: 01-2119457571- 37	< 0.08	Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 STOT SE 3, H335

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
hexamethylene-di-isocyanate		( 0.5 ≤C ≤ 100) Resp. Sens. 1, H334 ( 0.5 ≤C ≤ 100) Skin Sens. 1, H317

Note 2: The concentration of isocyanate stated is the percentage by weight of the free monomer calculated with reference to the total weight of the mixture.

Full text of H- and EUH-statements: see section 16

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : General information. Refer to section 11.

9/1/2022 (Revision date) GB - en 2/13

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing.

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash

immediately with plenty of water and soap. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. If skin irritation continues, consult a doctor.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately. In case of contact with eyes, rinse

immediately with plenty of water and seek medical advice.

First-aid measures after ingestion : If swallowed: rinse mouth. Do NOT induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Vapours may cause drowsiness and dizziness.

Symptoms/effects after skin contact : Prolonged or repeated contact may cause skin to become dry.

Symptoms/effects after eye contact : May cause eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Dry chemical, CO2, alcohol-resistant foam or waterspray.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Carbon monoxide. Nitrogen oxides. Other toxic gases.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Protective equipment : Remove ignition sources. Ensure that there is a suitable ventilation system. Avoid any direct

or indirect contact with ingredients released. Avoid contact with skin and eyes. Use personal

protective equipment as required. See Section 8.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. See Section 8.

#### 6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter into surface water or drains. Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

#### 6.3. Methods and material for containment and cleaning up

For containment : Cover spill with non combustible material, e.g.: sand, earth, vermiculite. Mechanically

recover the product.

#### 6.4. Reference to other sections

Disposal considerations. See Section 13.

9/1/2022 (Revision date) GB - en 3/13

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking. Use only outdoors or in a well-

ventilated area. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be

allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Protect from

moisture. Protect against frost.

Storage temperature : 5-35 °C

#### 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

2-butoxyethyl acetate; butylglycol acetate (112-07-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	2-Butoxyethyl acetate	
IOEL TWA [ppm]	20 ppm	
IOEL STEL	333 mg/m³	
IOEL STEL [ppm]	50 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
United Kingdom - Occupational Exposure Limits		
Local name	2-Butoxyethyl acetate	
WEL TWA (OEL TWA) [1]	133 mg/m³	
WEL TWA (OEL TWA) [2]	20 ppm	
WEL STEL (OEL STEL)	332 mg/m³	
WEL STEL (OEL STEL) [ppm]	50 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

### 8.1.2. Recommended monitoring procedures

Monitoring methods	
1	EN 482. Workplace exposure - General requirements for the performance of procedures
	for the measurement of chemical agents.

#### 8.1.3. Air contaminants formed

No additional information available

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

#### 8.1.4. DNEL and PNEC

PNEC aqua (freshwater)         0.127 mg/l           PNEC aqua (marine water)         0.0127 mg/l           PNEC aqua (intermittent, freshwater)         1.27 mg/l           PNEC (Sediment)           PNEC sediment (freshwater)         266701 mg/kg dwt           PNEC sediment (marine water)         26670 mg/kg dwt           PNEC (Soil)           PNEC soil         53183 mg/kg dwt           PNEC (STP)           PNEC sewage treatment plant         88 mg/l           hexamethylene-di-isocyanate (822-06-0)           DNEL/DMEL (Workers)           Acute - local effects, inhalation         0.07 mg/m³           Long-term - local effects, inhalation         0.035 mg/m³           PNEC (STP)           PNEC sewage treatment plant         8.42 mg/l	Havemathydan 4 C Diigaayanat Hamanalimay (00400 04 0)		
Acute - local effects, inhalation   1 mg/m³    PNEC (Water)    PNEC (Water)    PNEC aqua (Insehwater)   0.127 mg/l    PNEC aqua (Insehwater)   0.0127 mg/l    PNEC aqua (Insehwater)   1.27 mg/l    PNEC aqua (Insehwater)   1.27 mg/l    PNEC aqua (Insehwater)   266701 mg/kg dwt    PNEC sediment (Itsehwater)   266701 mg/kg dwt    PNEC sediment (Itsehwater)   266707 mg/kg dwt    PNEC sediment (Insehwater)   266707 mg/kg dwt    PNEC sediment (Insehwater)   266707 mg/kg dwt    PNEC (Sediment (Insehwater)   266707 mg/kg dwt    PNEC (Sediment (Insehwater)   266707 mg/kg dwt    PNEC (STP)    PNEC (STP)    PNEC Sewage Insehwater   88 mg/l    hexamethylene-di-isocyanate (822-06-0)    DNELDMEL (Workers)   200 mg/m²    Long-term - local effects, inhalation   0.07 mg/m²    PNEC (STP)    PNEC Sewage Insehwater   8.42 mg/l    2-butosyathyl acetate; butylglycol acetate (112-07-2)    DNELDMEL (Workers)   3.42 mg/l    2-butosyathyl acetate; butylglycol acetate (112-07-2)    DNELDMEL (Workers)   120 mg/kg bodyweight/day    Acute - local effects, demal   120 mg/kg bodyweight/day    Acute - systemic effects, demal   120 mg/kg bodyweight/day    Acute - systemic effects, inhalation   33 mg/m²    DNELDMEL (General population)   13 mg/m²    Acute - systemic effects, inhalation   200 mg/m²    Acute - systemic effects, inhalation   36 mg/kg bodyweight/day    Acute - systemic effects, inhalation   200 mg/m²    Acute - systemic effects, inhalation   200 mg/m²    Acute - systemic effects, inhalation   30 mg/m²    Acute - systemic effects, inhalation   200 mg/m²    Acute - systemic effects, inhalation   30 mg/m²    Acute - systemic effects, in			
Description			
PNEC (water)           PNEC agua (mrenwater)         0.127 mg/l           PNEC agua (mrenwater)         0.0127 mg/l           PNEC Sequia (mremittent, freshwater)         12 mg/l           PNEC Sediment (freshwater)         268701 mg/kg dwt           PNEC Sediment (marine water)         26870 mg/kg dwt           PNEC Sediment (marine water)         26870 mg/kg dwt           PNEC (Soil)         53183 mg/kg dwt           PNEC Sediment (marine water)         88 mg/l           PNEC Sediment (marine water)         0.07 mg/m²           Acute - local effects, inhalation         0.07 mg/m²           Acute - local effects, inhalation         0.03 mg/m²           PNEC Sewage treatment plant         8.42 mg/l           Acute - systemic effects, dermal         120 mg/kg bodyweight/day           Acute - systemic effects, dermal         159 mg/kg bodyweight/day	Acute - local effects, inhalation	1 mg/m³	
PNEC aqua (treshwater)         0.127 mg/l           PNEC aqua (marine water)         0.0127 mg/l           PNEC (adua (marine water))         1.27 mg/l           PNEC (Sodiment)         ************************************	Long-term - local effects, inhalation	0.5 mg/m³	
PNEC aqua (intermittent, freshwater)   0.0127 mg/l     PNEC sediment    1.27 mg/l     PNEC (Sediment)   266701 mg/kg dwl     PNEC sediment (freshwater)   266701 mg/kg dwl     PNEC sediment (marine water)   266701 mg/kg dwl     PNEC sediment (marine water)   26670 mg/kg dwt     PNEC sediment (marine water)   53183 mg/kg dwt     PNEC sediment (marine water)   53183 mg/kg dwt     PNEC sediment plant   88 mg/l     PNEC sewage treatment plant   88 mg/l     PNEC sewage treatment plant   88 mg/l     PNEC sewage treatment plant   0.07 mg/m²     Acute - local effects, inhalation   0.035 mg/m²     PNEC sewage treatment plant   8.42 mg/l     2-butoxyethyl acetate; butylglycol acetate (112-07-2)     PNEC sewage treatment plant   8.42 mg/l     2-butoxyethyl acetate; butylglycol acetate (112-07-2)     PNEL DMEL (Workers)   120 mg/kg bodyweight/day     Acute - systemic effects, inhalation   333 mg/m²     Acute - systemic effects, inhalation   333 mg/m²     DNEL DMEL (General population)     Acute - systemic effects, dermal   133 mg/m²     DNEL DMEL (General population)     Acute - systemic effects, inhalation   20 mg/m²     Acute - systemic effects, inhalation   20 mg/m²     Acute - systemic effects, inhalation   20 mg/m²     Acute - systemic effects, oral   38 mg/kg bodyweight/day     Acute - systemic effects, inhalation   200 mg/m²     Acute - systemic effects, inhalation   80 mg/m²     Long-term - systemic effects, inhalation   102 mg/kg bodyweight/day     PNEC (aqua (freshwater)   0.304 mg/l     PNEC (aqua (freshwater)   0.304 mg/l	PNEC (Water)		
PNEC aqua (intermittent, freshwater)         1.27 mg/l           PNEC (Sediment)         266701 mg/kg dwt           PNEC sediment (marine water)         266701 mg/kg dwt           PNEC (Soil)         32670 mg/kg dwt           PNEC (Soil)         53183 mg/kg dwt           PNEC Soil         53183 mg/kg dwt           PNEC (STP)         PNEC (Soil)           PNEC sewage treatment plant         88 mg/l           hexamethylene-di-isocyanate (822-06-0)         100 mg/m²           Acute - local effects, inhalation         0.07 mg/m²           Acute - local effects, inhalation         0.035 mg/m²           Long-term - local effects, inhalation         0.035 mg/m²           PNEC (STP)         PNEC (STP)           PNEL (DMEL (Workers)         8.42 mg/l           2-butoxyethyl acetate; butylglycol acetate (112-07-2)           DNEL/DMEL (Workers)         333 mg/m²           Acute - systemic effects, dermal         120 mg/kg bodyweight/day           Acute - systemic effects, dermal         160 mg/kg bodyweight/day           Long-term - systemic effects, fermal         167 mg/kg bodyweight/day           Acute - systemic effects, dermal         20 mg/kg bodyweight/day           Acute - local effects, inhalation         20 mg/kg           DNEL/DMEL (General population)         8.6 mg/	PNEC aqua (freshwater)	0.127 mg/l	
PNEC (sediment)           PNEC sediment (freshwater)         266701 mg/kg dwt           PNEC sediment (marine water)         26670 mg/kg dwt           PNEC (Soil)         53183 mg/kg dwt           PNEC (Soil)         53183 mg/kg dwt           PNEC (STP)         PNEC Sewage treatment plant         88 mg/l           PNEC sewage treatment plant         0.07 mg/m²           Acute - local effects, inhalation         0.07 mg/m²           Acute - local effects, inhalation         0.035 mg/m²           PNEC Sewage treatment plant         8.42 mg/l           2-butoxyethyl acetate; butylglycol acetate (112-07-2)           DNEL/DMEL (Workers)           Acute - systemic effects, dermal         120 mg/kg bodyweight/day           Acute - systemic effects, dermal         120 mg/kg bodyweight/day           Acute - systemic effects, femalation         333 mg/m²           Long-term - systemic effects, femalation         133 mg/m²           DNEL/DMEL (General population)         33 mg/m²           Neur - systemic effects, femal         120 mg/kg bodyweight/day           Acute - systemic effects, inhalation         33 mg/m²           Long-term - systemic effects, femal         86 mg/kg bodyweight/day           Acute - systemic effects, inhalation         200 mg/m³           Long-term - systemi	PNEC aqua (marine water)	0.0127 mg/l	
PNEC sediment (freshwater)         26670 mg/kg dwt           PNEC sediment (marine water)         26670 mg/kg dwt           PNEC (Soil)         \$3183 mg/kg dwt           PNEC soil         \$3183 mg/kg dwt           PNEC (STP)         ************************************	PNEC aqua (intermittent, freshwater)	1.27 mg/l	
PNEC (Soil)         53183 mg/kg dwt           PNEC (Soil)           PNEC (STP)           PNEC (STP)           PNEC Sewage treatment plant         88 mg/l           Image: Recompt of the color of the colo	PNEC (Sediment)		
PNEC (soil)	PNEC sediment (freshwater)	266701 mg/kg dwt	
PNEC (STP)           PNEC (STP)           PNEC sewage treatment plant         88 mg/l           hexamethylene-di-isocyanate (822-06-0)           DNEL/DMEL (Workers)           Acute - local effects, inhalation         0.07 mg/m³           Long-term - local effects, inhalation         0.035 mg/m³           PNEC (STP)         **** PNEC sewage treatment plant         8.42 mg/l           2-butoxyethyl acetate; butylglycol acetate (112-07-2)         **** DNEL/DMEL (Workers)           Acute - systemic effects, dermal         120 mg/kg bodyweight/day           Acute - systemic effects, dermal         169 mg/kg bodyweight/day           Long-term - systemic effects, dermal         169 mg/kg bodyweight/day           Long-term - systemic effects, dermal         169 mg/kg bodyweight/day           Acute - systemic effects, dermal         72 mg/kg bodyweight/day           Acute - systemic effects, dermal         72 mg/kg bodyweight/day           Acute - systemic effects, dermal         36 mg/kg bodyweight/day           Acute - systemic effects, oral         36 mg/kg bodyweight/day           Acute - systemic effects, inhalation         200 mg/m³           Long-term - systemic effects, inhalation         80 mg/kg bodyweight/day           Long-term - systemic effects, dermal         102 mg/kg bodyweight/day           Long-term - systemic effects,	PNEC sediment (marine water)	26670 mg/kg dwt	
PNEC (STP)  PNEC sewage treatment plant 88 mg/l  hexamethylene-di-isocyanate (822-06-0)  DNEL/DMEL (Workers)  Acute - local effects, inhalation 0.035 mg/m³  PNEC (STP)  PNEC sewage treatment plant 8.42 mg/l  2-butoxyethyl acetate; butylglycol acetate (112-07-2)  DNEL/DMEL (Workers)  Acute - systemic effects, dermal 120 mg/kg bodyweight/day  Acute - local effects, inhalation 333 mg/m³  Acute - local effects, inhalation 333 mg/m³  Long-term - systemic effects, inhalation 133 mg/m³  DNEL/DMEL (General population)  Acute - systemic effects, dermal 27 mg/kg bodyweight/day  Acute - systemic effects, dermal 36 mg/kg bodyweight/day  Acute - systemic effects, inhalation 36 mg/kg bodyweight/day  Acute - systemic effects, dermal 27 mg/kg bodyweight/day  Acute - systemic effects, oral 36 mg/kg bodyweight/day  Acute - systemic effects, inhalation 200 mg/m³  Long-term - systemic effects, inhalation 80 mg/m³  Long-term - systemic effects, inhalation 80 mg/m³  Long-term - systemic effects, dermal 102 mg/kg bodyweight/day  PNEC (Water)  PNEC (Water)  PNEC (Water)  PNEC (Water)  PNEC aqua (freshwater) 0.304 mg/l  PNEC aqua (freshwater) 0.0304 mg/l	PNEC (Soil)		
PNEC sewage treatment plant    Nexamethylene-di-isocyanate (822-06-0)	PNEC soil	53183 mg/kg dwt	
DNEL/DMEL (Workers) Acute - local effects, inhalation 0.07 mg/m³ Acute - local effects, inhalation 0.035 mg/m³ PNEC (STP) PNEC swage treatment plant 8.42 mg/l 2-butoxyethyl acetate; butylglycol acetate (112-07-2) DNEL/DMEL (Workers) Acute - systemic effects, dermal 120 mg/kg bodyweight/day Acute - local effects, inhalation 333 mg/m³ Long-term - systemic effects, dermal 169 mg/kg bodyweight/day Acute - systemic effects, inhalation 333 mg/m³ DNEL/DMEL (General population) Acute - systemic effects, dermal 169 mg/kg bodyweight/day Acute - systemic effects, inhalation 33 mg/m³ Acute - systemic effects, inhalation 35 mg/m³ DNEL/DMEL (General population) Acute - systemic effects, dermal 72 mg/kg bodyweight/day Acute - systemic effects, oral 36 mg/kg bodyweight/day Acute - systemic effects, inhalation 200 mg/m³ Long-term - systemic effects, inhalation 200 mg/m³ Long-term - systemic effects, inhalation 80 mg/m³ Long-term - systemic effects, inhalation 80 mg/m³ Long-term - systemic effects, dermal 102 mg/kg bodyweight/day PNEC (Water) PNEC (Water) PNEC (Water) PNEC (Quater) 0.304 mg/l	PNEC (STP)	•	
DNEL/DMEL (Workers) Acute - local effects, inhalation 0.07 mg/m³ Long-term - local effects, inhalation 0.035 mg/m³ PNEC (STP) PNEC sewage treatment plant 8.42 mg/l 2-butoxyethyl acetate; butylglycol acetate (112-07-2) DNEL/DMEL (Workers) Acute - systemic effects, dermal 120 mg/kg bodyweight/day Acute - local effects, inhalation 333 mg/m³ Long-term - systemic effects, dermal 169 mg/kg bodyweight/day DNEL/DMEL (General population) Acute - systemic effects, inhalation 133 mg/m³ DNEL/DMEL (General population) Acute - systemic effects, dermal 72 mg/kg bodyweight/day Acute - systemic effects, dermal 72 mg/kg bodyweight/day Acute - systemic effects, oral 36 mg/kg bodyweight/day Acute - systemic effects, oral 36 mg/kg bodyweight/day Acute - local effects, inhalation 200 mg/m³ Long-term - systemic effects, oral 8.6 mg/kg bodyweight/day Acute - local effects, inhalation 200 mg/m³ Long-term - systemic effects, dermal 80 mg/m³ Long-term - systemic effects, dermal 102 mg/kg bodyweight/day PNEC (Water) PNEC (Water) PNEC (Water) PNEC aqua (freshwater) 0.304 mg/l	PNEC sewage treatment plant	88 mg/l	
Acute - local effects, inhalation 0.07 mg/m³  PNEC (STP)  PNEC sewage treatment plant 8.42 mg/l  2-butoxyethyl acetate; butylglycol acetate (112-07-2)  DNEL/DMEL (Workers)  Acute - systemic effects, inhalation 333 mg/m³  Long-term - systemic effects, dermal 169 mg/kg bodyweight/day  Acute - local effects, inhalation 133 mg/m³  DNEL/DMEL (General population)  Acute - systemic effects, dermal 27 mg/kg bodyweight/day  Acute - local effects, inhalation 333 mg/m³  DNEL/DMEL (General population)  Acute - systemic effects, dermal 72 mg/kg bodyweight/day  Acute - systemic effects, inhalation 200 mg/m³  Acute - systemic effects, inhalation 200 mg/m³  Acute - systemic effects, inhalation 200 mg/m³  Long-term - systemic effects, inhalation 80 mg/m³  Long-term - systemic effects, inhalation 80 mg/m³  Long-term - systemic effects, dermal 102 mg/kg bodyweight/day  PNEC (Water)  PNEC (Water)  PNEC aqua (freshwater) 0.394 mg/l  PNEC aqua (freshwater) 0.0304 mg/l	hexamethylene-di-isocyanate (822-06-0)		
PNEC (STP)  PNEC sewage treatment plant  8.42 mg/l  2-butoxyethyl acetate; butylglycol acetate (112-07-2)  DNEL/DMEL (Workers)  Acute - systemic effects, dermal  Long-term - systemic effects, inhalation  Acute - systemic effects, dermal  Acute - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - systemic effects, dermal  Acute - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - systemic effects, dermal  Acute - systemic effects, dermal  Acute - systemic effects, dermal  Acute - systemic effects, oral  Acute - systemic effects, oral  Acute - systemic effects, oral  Acute - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - systemic effects, oral  Acute - local effects, inhalation  DNEL/DMEL (General population)  Acute - systemic effects, inhalation  DNEJ population  DNEJ population  Acute - systemic effects, inhalation  DNEJ population  DNEJ population  DNEJ population  Acute - systemic effects, oral  Acute - systemic effects, inhalation  DNEJ population  DNEJ	DNEL/DMEL (Workers)		
PNEC (STP)  PNEC sewage treatment plant  8.42 mg/l  2-butoxyethyl acetate; butylglycol acetate (112-07-2)  DNEL/DMEL (Workers)  Acute - systemic effects, dermal  120 mg/kg bodyweight/day  Acute - local effects, inhalation  333 mg/m³  Long-term - systemic effects, inhalation  133 mg/m³  DNEL/DMEL (General population)  Acute - systemic effects, dermal  72 mg/kg bodyweight/day  Acute - systemic effects, oral  36 mg/kg bodyweight/day  Acute - systemic effects, oral  36 mg/kg bodyweight/day  Acute - local effects, inhalation  200 mg/m³  Long-term - systemic effects, oral  8.6 mg/kg bodyweight/day  Acute - local effects, inhalation  200 mg/m³  Long-term - systemic effects, oral  8.6 mg/kg bodyweight/day  Acute - local effects, inhalation  200 mg/m³  Long-term - systemic effects, inhalation  80 mg/m³  Long-term - systemic effects, inhalation  80 mg/m³  Long-term - systemic effects, dermal  102 mg/kg bodyweight/day  PNEC (Water)  PNEC (Water)  PNEC aqua (freshwater)  0.304 mg/l  PNEC aqua (marine water)  0.0304 mg/l	Acute - local effects, inhalation	0.07 mg/m³	
PNEC sewage treatment plant 2-butoxyethyl acetate; butylglycol acetate (112-07-2)  DNEL/DMEL (Workers)  Acute - systemic effects, dermal 120 mg/kg bodyweight/day  Acute - local effects, inhalation 333 mg/m³  Long-term - systemic effects, inhalation 133 mg/m³  DNEL/DMEL (General population)  Acute - systemic effects, dermal 72 mg/kg bodyweight/day  Acute - systemic effects, oral 36 mg/kg bodyweight/day  Acute - local effects, inhalation 200 mg/m³  Long-term - systemic effects, oral 36 mg/kg bodyweight/day  Acute - local effects, inhalation 200 mg/m³  Long-term - systemic effects, oral 8.6 mg/kg bodyweight/day  DNEL/DMEL (General population)  Long-term - systemic effects, inhalation 200 mg/m³  Long-term - systemic effects, inhalation 80 mg/m³  Long-term - systemic effects, dermal 102 mg/kg bodyweight/day  PNEC (Water)  PNEC (Water)  PNEC (Water)  O.304 mg/l  PNEC aqua (marine water) 0.0004 mg/l	Long-term - local effects, inhalation	0.035 mg/m³	
2-butoxyethyl acetate; butylglycol acetate (112-07-2)  DNEL/DMEL (Workers)  Acute - systemic effects, dermal 120 mg/kg bodyweight/day  Acute - local effects, inhalation 333 mg/m³  Long-term - systemic effects, dermal 169 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 133 mg/m³  DNEL/DMEL (General population)  Acute - systemic effects, dermal 72 mg/kg bodyweight/day  Acute - systemic effects, oral 36 mg/kg bodyweight/day  Acute - systemic effects, oral 36 mg/kg bodyweight/day  Acute - local effects, inhalation 200 mg/m³  Long-term - systemic effects, oral 8.6 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 80 mg/m³  Long-term - systemic effects, dermal 102 mg/kg bodyweight/day  PNEC (Water)  PNEC (Water)  PNEC aqua (freshwater) 0.304 mg/l  PNEC aqua (marine water) 0.0304 mg/l	PNEC (STP)		
DNEL/DMEL (Workers)  Acute - systemic effects, dermal 120 mg/kg bodyweight/day  Acute - local effects, inhalation 333 mg/m³  Long-term - systemic effects, dermal 169 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 133 mg/m³  DNEL/DMEL (General population)  Acute - systemic effects, dermal 72 mg/kg bodyweight/day  Acute - systemic effects, oral 36 mg/kg bodyweight/day  Acute - local effects, inhalation 200 mg/m³  Long-term - systemic effects, oral 8.6 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 80 mg/m³  Long-term - systemic effects, inhalation 80 mg/m³  Long-term - systemic effects, dermal 102 mg/kg bodyweight/day  PNEC aqua (freshwater) 0.304 mg/l  PNEC aqua (marine water) 0.0304 mg/l	PNEC sewage treatment plant	8.42 mg/l	
Acute - systemic effects, dermal  120 mg/kg bodyweight/day  Acute - local effects, inhalation  333 mg/m³  Long-term - systemic effects, dermal  169 mg/kg bodyweight/day  Long-term - systemic effects, inhalation  133 mg/m³  DNEL/DMEL (General population)  Acute - systemic effects, dermal  72 mg/kg bodyweight/day  Acute - systemic effects, oral  36 mg/kg bodyweight/day  Acute - local effects, inhalation  200 mg/m³  Long-term - systemic effects, oral  8.6 mg/kg bodyweight/day  Long-term - systemic effects, inhalation  80 mg/m³  Long-term - systemic effects, inhalation  102 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater)  0.304 mg/l  PNEC aqua (marine water)  0.0304 mg/l	2-butoxyethyl acetate; butylglycol acetate (112-07-2)		
Acute - local effects, inhalation 333 mg/m³  Long-term - systemic effects, dermal 169 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 133 mg/m³  DNEL/DMEL (General population)  Acute - systemic effects, dermal 72 mg/kg bodyweight/day  Acute - systemic effects, oral 36 mg/kg bodyweight/day  Acute - local effects, inhalation 200 mg/m³  Long-term - systemic effects, oral 8.6 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 80 mg/m³  Long-term - systemic effects, inhalation 102 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.304 mg/l  PNEC aqua (marine water) 0.0304 mg/l	DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal Long-term - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - systemic effects, dermal Acute - systemic effects, oral Acute - local effects, oral Acute - local effects, inhalation  Long-term - systemic effects, oral  8.6 mg/kg bodyweight/day  Long-term - systemic effects, inhalation  Bo mg/m³  Long-term - systemic effects, inhalation  Bo mg/m³  Long-term - systemic effects, dermal  102 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater)  0.304 mg/l  0.0304 mg/l	Acute - systemic effects, dermal	120 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - systemic effects, dermal  72 mg/kg bodyweight/day  Acute - systemic effects, oral  36 mg/kg bodyweight/day  Acute - local effects, inhalation  200 mg/m³  Long-term - systemic effects, oral  8.6 mg/kg bodyweight/day  Long-term - systemic effects, inhalation  80 mg/m³  Long-term - systemic effects, inhalation  102 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater)  0.304 mg/l  0.0304 mg/l	Acute - local effects, inhalation	333 mg/m³	
DNEL/DMEL (General population)  Acute - systemic effects, dermal 72 mg/kg bodyweight/day  Acute - systemic effects, oral 36 mg/kg bodyweight/day  Acute - local effects, inhalation 200 mg/m³  Long-term - systemic effects, oral 8.6 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 80 mg/m³  Long-term - systemic effects, dermal 102 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.304 mg/l  PNEC aqua (marine water) 0.0304 mg/l	Long-term - systemic effects, dermal	169 mg/kg bodyweight/day	
Acute - systemic effects, dermal 72 mg/kg bodyweight/day Acute - systemic effects, oral 36 mg/kg bodyweight/day Acute - local effects, inhalation 200 mg/m³ Long-term - systemic effects, oral 8.6 mg/kg bodyweight/day Long-term - systemic effects, inhalation 80 mg/m³ Long-term - systemic effects, dermal 102 mg/kg bodyweight/day  PNEC (Water) PNEC aqua (freshwater) 0.304 mg/l  PNEC aqua (marine water) 0.0304 mg/l	Long-term - systemic effects, inhalation	133 mg/m³	
Acute - systemic effects, oral 36 mg/kg bodyweight/day  Acute - local effects, inhalation 200 mg/m³  Long-term - systemic effects, oral 8.6 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 80 mg/m³  Long-term - systemic effects, dermal 102 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.304 mg/l  PNEC aqua (marine water) 0.0304 mg/l	DNEL/DMEL (General population)		
Acute - local effects, inhalation 200 mg/m³  Long-term - systemic effects, oral 8.6 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 80 mg/m³  Long-term - systemic effects, dermal 102 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.304 mg/l  PNEC aqua (marine water) 0.0304 mg/l	Acute - systemic effects, dermal	72 mg/kg bodyweight/day	
Long-term - systemic effects, oral 8.6 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 80 mg/m³  Long-term - systemic effects, dermal 102 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.304 mg/l  PNEC aqua (marine water) 0.0304 mg/l	Acute - systemic effects, oral	36 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation 80 mg/m³  Long-term - systemic effects, dermal 102 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.304 mg/l  PNEC aqua (marine water) 0.0304 mg/l	Acute - local effects, inhalation	200 mg/m³	
Long-term - systemic effects, dermal 102 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.304 mg/l  PNEC aqua (marine water) 0.0304 mg/l	Long-term - systemic effects,oral	8.6 mg/kg bodyweight/day	
PNEC (Water)  PNEC aqua (freshwater)  0.304 mg/l  PNEC aqua (marine water)  0.0304 mg/l	Long-term - systemic effects, inhalation	80 mg/m³	
PNEC aqua (freshwater)  0.304 mg/l  PNEC aqua (marine water)  0.0304 mg/l	Long-term - systemic effects, dermal	102 mg/kg bodyweight/day	
PNEC aqua (marine water)  0.0304 mg/l	PNEC (Water)		
	PNEC aqua (freshwater)	0.304 mg/l	
PNEC aqua (intermittent, freshwater) 0.56 mg/l	PNEC aqua (marine water)	0.0304 mg/l	
	PNEC aqua (intermittent, freshwater)	0.56 mg/l	

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

2-butoxyethyl acetate; butylglycol acetate (112-07-2)		
PNEC (Sediment)		
PNEC sediment (freshwater)	2.03 mg/kg dwt	
PNEC sediment (marine water)	0.203 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.415 mg/kg dwt	
PNEC (Oral)		
PNEC oral (secondary poisoning)	60 mg/kg food	
PNEC (STP)		
PNEC sewage treatment plant	90 mg/l	

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

## Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

### 8.2.2.2. Skin protection

## Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Viton® II	6 (> 480 minutes)	0,7 mm		EN 374-3
Disposable gloves	Nitrile rubber (NBR)	2 (> 30 minutes)	0,4 mm		EN 374-3

## 8.2.2.3. Respiratory protection

## Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection			
Device	Filter type	Condition	Standard
Gas mask with filter type	Filter A1/B1		EN 14387

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless. Odour : characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available : Not available Boiling point Flammability : Not applicable Explosive properties : No data available. **Explosive limits** : Not available Lower explosion limit : Not available Upper explosion limit : Not available : 200 °C Flash point : ≈ 440 °C Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ Viscosity, kinematic : Not available Solubility : Slightly soluble. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : 14 hPa Vapour pressure at 50°C : Not available Density : ≈ 1.1 g/cm<sup>3</sup> Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

Can react violently with alkalis, as well as a lot of organic products such as alcohols and amines. Reacts with water, generates gases or heat and overpressure: rupture containers. Polymerizes on exposure to temperature rise: pressure build-up may cause closed container to burst.

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

#### 10.4. Conditions to avoid

Keep away from sources of ignition. Prevent build-up of electrostatic charges (e.g, by grounding). Protect from sunlight. Avoid high temperatures. Protect from moisture. Keep out of frost.

#### 10.5. Incompatible materials

Reproductive toxicity

No contact with: strong acids, strong bases and strong oxidants. Do not allow contact with water.

#### 10.6. Hazardous decomposition products

Carbon monoxide. Nitrogen oxides. Other toxic gases.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) : Harmful if inhaled. (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation)	: Harmful if inhaled. (Based on available data, the classification criteria are not met)
AQUAHARD PU 10-01	
ATE CLP (gases)	4500 ppmv/4h
ATE CLP (vapours)	11 mg/l/4h
ATE CLP (dust,mist)	1.5 mg/l/4h
Hexamethylen-1,6-Diisocyanat Homo	ppolimer (28182-81-2)
LD50 oral rat	> 2500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:
hexamethylene-di-isocyanate (822-00	6-0)
LD50 oral rat	710 mg/kg Source: NCIS; Toxic Substances Information Report
LD50 dermal rat	> 7000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	599 mg/kg Source: NCIS; Toxic Substances Information Report
LC50 Inhalation - Rat	0.124 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:, 95% CL: 111 - 140
LC50 Inhalation - Rat (Vapours)	0.24 mg/l Source: NCIS; Toxic Substances Information Report
2-butoxyethyl acetate; butylglycol ac	eetate (112-07-2)
LD50 oral rat	≈ 1880 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:
LD50 dermal rabbit	≈ 1500 mg/kg bodyweight Animal: rabbit, Remarks on results: other:
LC50 Inhalation - Rat [ppm]	> 400 ppm Source: ECHA
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: May cause an allergic skin reaction. (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)	
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)

9/1/2022 (Revision date) GB - en 8/13

: Not classified (Based on available data, the classification criteria are not met)

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

STOT-single exposure : May cause respiratory irritation. (Based on available data, the classification criteria are not met)

Hexamethylen-1,6-Diisocyanat Homopolimer (28182-81-2)		
STOT-single exposure	STOT-single exposure May cause respiratory irritation.	
hexamethylene-di-isocyanate (822-06-0)		
STOT-single exposure	May cause respiratory irritation.	

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

2-butoxyethyl acetate; butylglycol acetate (112-07-2)	
NOAEL (dermal, rat/rabbit, 90 days)	> 150 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

#### 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

Not rapidly degradable

: Not classified (Based on available data, the classification criteria are not met)

: Not classified (Based on available data, the classification criteria are not met)

Hexamethylen-1,6-Diisocyanat Homopolimer (28182-81-2)		
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): other:	
hexamethylene-di-isocyanate (822-06-0)		
LC50 - Fish [1]	≥ 82.8 mg/l Source: ECHA	
EC50 72h - Algae [1]	> 77.4 mg/l Source: ECHA	
2-butoxyethyl acetate; butylglycol acetate (112-07-2)		
LC50 - Fish [1]	20 – 40 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	37 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	1570 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 72h - Algae [2]	520 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
ErC50 algae	1570 mg/l Source: ECHA	

## 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

hexamethylene-di-isocyanate (822-06-0)		
Partition coefficient n-octanol/water (Log Pow) 1.08 Source: ICSC		
2-butoxyethyl acetate; butylglycol acetate (112-07-2)		
2-butoxyethyl acetate; butylglycol acetate (11	2-07-2)	

9/1/2022 (Revision date) GB - en 9/13

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

#### 12.4. Mobility in soil

hexamethylene-di-isocyanate (822-06-0)	
Mobility in soil	5 – 286 Source: ECHA

#### 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Do not discharge into drains.

Product/Packaging disposal recommendations : This material and its container must be disposed of as hazardous waste. Do not dispose of

with domestic waste. After cleaning, recycle or dispose of at an authorised site.

Additional information : Flammable vapours may accumulate in the container.

European List of Waste (LoW) code : 08 05 01\* - waste isocyanates

15 01 10\* - packaging containing residues of or contaminated by dangerous substances

#### **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA	
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	
14.4. Packing group			
Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	
No supplementary information available			

#### 14.6. Special precautions for user

Special transport precautions : Not regulated for transport

**Overland transport** 

Transport regulations (ADR) : Not applicable

9/1/2022 (Revision date) GB - en 10/13

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Transport by sea

Transport regulations (IMDG) : Not applicable

Air transport

Transport regulations (IATA) : Not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

## Indication of changes:

SDS EU format according to COMMISSION REGULATION (EU) 2020/878.

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value

## Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Abbreviations and acr	onyms:	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Data sources : ECHA (European Chemicals Agency).

Training advice : Handle in accordance with good industrial hygiene and safety procedures.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
EUH204	Contains isocyanates. May produce an allergic reaction.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	

# Safety Data Sheet

SDS EU format according to COMMISSION REGULATION (EU) 2020/878

Full text of H- and EUH-statements:		
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H335	May cause respiratory irritation.	
Resp. Sens. 1	Respiratory sensitisation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT SE 3	Specific target organ toxicity - Single exposure, Category 3, Respiratory tract irritation	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Acute Tox. 4 (Inhalation)	H332	Expert judgment
Skin Sens. 1	H317	Calculation method
STOT SE 3	H335	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.